

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/685,852 10/15/2003 Karl Smirra 071308.0475 8441 31625 7590 11/09/2005 **EXAMINER** BAKER BOTTS L.L.P. PICKARD, ALISON K PATENT DEPARTMENT ART UNIT PAPER NUMBER 98 SAN JACINTO BLVD., SUITE 1500 AUSTIN, TX 78701-4039 3673

DATE MAILED: 11/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/685,852	SMIRRA, KARL
	Examiner	Art Unit
	Alison K. Pickard	3673
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).		
Status		
1) Responsive to communication(s) filed on		
	action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4)⊠ Claim(s) <u>1-3,5,8-12 and 14-16</u> is/are pending in the application.		
4a) Of the above claim(s) is/are withdrawn from consideration.		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-3,5,8-12 and 14-16</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and/or election requirement.		
Application Papers		
9)☐ The specification is objected to by the Examiner.10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).		
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.		
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this National Stage		
application from the International Bureau (PCT Rule 17.2(a)).		
* See the attached detailed Office action for a list of the certified copies not received.		
Attachment(s)		
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application (PTO-152)		
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6) Other:	

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-3, 5, 8-12, and 14-16 are rejected under 35 U.S.C. 102(b) as being anticipated by Roux (1,235,926).

Roux discloses a sealing device and a method of sealing using a device (see Fig. 4) comprising a conducting element 8 that can be inserted off-center in a hole 7 of a housing wall 1 (or 24) (in that the dimensions of the hole and the O.D. of the element 8 permit radial play). The device has a sealing body 25/20 forming an axial seal (at contact with 8) and a radial seal (against surface of 4). Or, the radial seal can be formed along the threads of 24. The element 8 has a recess (adjacent the flange) to receive the sealing body. As seen in the Figure, there is clearance to allow radial movement of the body within the recess. A sealing ring 19 with an internal thread fixes the body. The inner diameter of body 25 is considered an end stop.

Response to Arguments

3. Applicant's arguments filed 5-26-05 have been fully considered but they are not persuasive.

Applicant's argument that Roux does not disclose a recess in the conducting element is unpersuasive. As seen in Figure 4, item 8 is the conducting element. The smaller diameter portion of element 8, to the right of the flange is considered a "recess" in that the diameter is

recessed from the flange diameter. Thus, the portion to the right of the flange to the end of element 8 is considered a recess and gets further defined with nut 19. The radial flange of element 25 is received within the recess and can be moved in the radial direction because there is a small degree of room between the inner diameter of the flange of element 25 and outer surface of element 8. Roux's "recess" is considered similar to the "recess" shown in Applicant's Fig. 2, in that both are defined by only 2 walls. Please note that Thomas and Grisebach can read on at least claim 1. For example, Thomas discloses a conducting element 23 with a recess 25 and Grisebach discloses a conducting element 4 with recess 8 or 9.

Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alison K. Pickard whose telephone number is 571-272-7062. The examiner can normally be reached on M-F (10-7:30), with alternate Friday's off.

Art Unit: 3673

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather Shackelford can be reached on 571-272-7049. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alison K. Pickard Primary Examiner Art Unit 3673

Altholand

AP